ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to provide the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION				FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME				POLICY NUMBER
Michael + Bonnie Chisling				
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER				COMPANY NAIC NUMBER
	YOU SOUND			
OTHER DESCRIPTION (Lot and B	Block Numbers, etc.)	T7 InT1	3 BLOC	K A
CITY BAY ISLES	SUBDIVISION UNI	1 2, 2012	STATE	ZIP CODE
LONGBO	AT KEY		FL.	34228
	SECTION B FLOOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the	ne proper FIRM (See Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER 3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
125126	0010 B	5/18/92	A-13	11
7. Indicate the elevation dat	um system used on the FIRM for Ba	se Flood Elevations (BFE): XNGVD '29	Other (describe on back)
	no BFE is provided on the FIRM, an			120 5 -
the community's BFE: L	feet NGVD (or other	FIRM datum—see Section	B, item 7).	DEGELVE
	SECTION C BUILDI	NG ELEVATION INFORM	ATION	
(a). FIRM Zones A1-A30, of fee (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in acco 3. Indicate the elevation day under Comments on Pagethe FIRM [see Section for equation under Comments]	ilding's reference level AE, AH, and A (with BFE). The top of NGVD (or other FIRM datum—see VE, and V (with BFE). The bottom of is at an elevation of BFE). The floor used as the reference the highest grade adjacent to the bottom of adjacent to the bottom of adjacent to the building. If no flood or dance with the community's floodpletum system used in determining the ge 2). (NOTE: If the elevation datum B, Item 7], the convert the elevation of the one page 2.) So used appears on FIRM: X Yes	Section B, Item 7). of the lowest horizontal structure of the lowest horizontal structure of the lowest horizontal structure of the selected diagram is a depth number is available ain management ordinance above reference level elem used in measuring the ensity of the datum system used.	uctural member M datum—see S d diagram is feet a e, is the building ee? Yes vations: X NG elevations is differed on the FIRM	of the reference level from ection B, Item 7) feet above or chove or below (check is lowest floor (reference No Unknown VD '29 Other (describe erent than that used on
(NOTE: Use of constructions this certificate will of will be required once con		ding does not yet have the course of construction.	e reference leve A post-construc	ction Elevation Certificate
The elevation of the lower Section B, Item 7).	est grade immediately adjacent to th	e building is: 4	.L⊈ .feet NGVD	(or other FIRM datum-see
	SECTION D CO	OMMUNITY INFORMATIO	ON	
is not the "lowest floor" a floor" as defined by the o	responsible for verifying building ele as defined in the community's floodp ordinance is: feet I truction or substantial improvement	lain management ordinand NGVD (or other FIRM date	ce, the elevation um-see Section	of the building's "lowest

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME

MARK E. BASSE TI

TITLE

PEGISTERED LAND SURJEYOR

ADDRESS

TO SIGNATURE

MARK E. BASSE TI

COMPANY NAME

PEGISTERED LAND SURJEYOR

ADDRESS

TO STATE TO THE BLUD. SARASOTA

SIGNATURE

MARK E. BASSETT

COMPANY NAME

PL. 34240

SIGNATURE

DATE 4/27/95

PHONE

B13-371-6362

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS:


BUILDING IS UNDER CONSTRUCTION (2) THE TIME

OF THIS CERTIFICATE.

K LOWEST ADJACENT

GRADE TAKEN FROM PRE-CONSTRUCTION TOPS

BY THIS FIRM.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.