## **ELEVATION CERTIFICATE**

O M B No 3067 0077 Expires May 31, 1993

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME MORMON J. & Bety Menell	POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg, Number) OR P.O. ROUTE AND BOX NUMBER  33210. Sabal Core Lane	COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.)  SAble Cou	e
CITY SARASOFA LONGROAT KEY FOOR	ZIP CODE 34 2-28
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	
Provide the following from the proper FIRM (See Instructions):	
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
125/26 0010 B Aug 15.83 /+1	5 //
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE the community's BFE:	Other (describe on back)  for this building site, indicate
SECTION C BUILDING ELEVATION INFORMATION	
describes the subject building's reference level	r of the reference level from Section B, Item 7).  L feet above or  above or below (check g's lowest floor (reference No Unknown CVD '29 Other (describe ferent than that used on M and show the conversion
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level case this certificate will only be valid for the building during the course of construction. A post-construction will be required once construction is complete.)	iction Elevation Certificate
6. The elevation of the lowest grade immediately adjacent to the building is:	O (or other FIRM datum-see
SECTION D COMMUNITY INFORMATION	The second second
1. If the community official responsible for verifying building elevations specifies that the reference level is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation floor" as defined by the ordinance is:  2. Date of the start of construction or substantial improvement  3. The community official responsible for verifying building elevations specifies that the reference level is not the "lowest floor" as defined by the ordinance is:  4. The community official responsible for verifying building elevations specifies that the reference level is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation floor" as defined by the ordinance is:  4. The community official responsible for verifying building elevations specifies that the reference level is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation floor as defined by the ordinance is:  4. The community official responsible for verifying building elevations specifies that the reference level is not the "lowest floor" as defined in the community is floodplain management ordinance. The lowest floor is not the lowest floor is not the community is floodplain management ordinance. The lowest floor is not	n of the building's "lowest


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE),V1-V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME Tony L. Pursley LICENSE NUMBER (or Affix Seal) 4451	
Bob Cross Professional Land Surv	eying, P.A.
ADDRESS BOX 20755 CITY Bradenton FL 34	203 ZIP
SIGNATURE TOMOS Luceles DATE 746-15	
Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, an	d 3) building owner.
COMMENTS: ENclosed GARAGE 8.49"	n nagarat
Lovest Finish Floor: = 11.03	
GROUND Elev = 8.01±	
ENCLOSED WITHOUT PROPER OPENING AS REQUIRED BY FE	EA MAY BE
DESCRIBED HEREON TO THE BEST OF OUR DETERMINATION.  3. REFERENCE LEVEL FLOOR IS BASED ON THE HABITA ELEVATION ONLY, UNLESS OTHERWISE NOTED.	AP AND IS



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.