3346 Sabal Cove Lar

O.M.B. No 3067-0077 Expires May 31, 1993

ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY-NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 6. BAZE FLOOD ELEVATION IN AO Zones, is a dispit) 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): XX NGVD '29 Other (describe on back B. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:	A DISE CARGE	SECTION A PRO	OPERTY INFO	ORMATION		FOR INSURANCE COMPANY USE
Content of the second sec		O & RAINE	R T. BLO	OMSTER		E B P
LOT 20, SABAL COVE SUBD. STATE ZP CODE CITY SARASOTA COUNTY, LONGBOAT KEY, FLORIDA STATE ZP CODE SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION Anteo FIRM SUBMER State FLOOD ELEVATION 1.COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 6. BASE FLOOD ELEVATION 1.25126 0010 B 5-18-92 A-13 EL. 11 The Accome, une depth 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): SX NGVD '29 Other (describe on bate 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:	334	6 SABAL C			14	COMPANY NAIC NUMBER
CITY SARASOTA COUNTY, LONGBOAT KEY, FLORIDA STATE ZP CODE SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION Provide the following from the proper FIRM (See Instructions): 6. BASE FLOOD ELEVATION 1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 6. BASE FLOOD ELEVATION (If AO 2cnes, use depth) 1.25126 0 010 B 5-18-92 A-13 EL 11 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): WMOVD'29 Other (describe on bate) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community is BFE: 11 7. Indicate the elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 6 8. Sectiones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of	UTHER DESCRIPTION (Lot and I		CABAL CO	VE SUBD		< 6 JODA
Provide the following from the proper FIRM (See Instructions): 1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 6. BASE FLOOD ELEVATION (In AD Zones, use depth) 1.25126 0010 B 5 - 18 - 92 A - 13 EL . 11 ' 2. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): XX MGVD 29 Other (describe on bas 5. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: Difter (describe on bas 5. FIRM Zones A row (K) where no BFE is provided on the FIRM and the community has established a BFE for this building site, indicate the community's BFE: 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8	CITY	1-1-2 × 174				BUILDING DEPARTMEN
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 6. BAGE FLOOD ELEVATION (In AD Zones, isa depth) 1.25126 0010 B 5-18-92 A-13 EL . 11 ' 2. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): xx MGVD '29 Other (describe on back 5. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:		SECTION B FL	OOD INSUR	ANCE RATE MAP (FIRM)	INFORMATION	ODNAT KEY
125126 0010 B 5-18-92 A-13 EL. 11' 2. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): ★ MGVD '29 Other (describe on bar 3. For Zones A or V, where no BFE is provided on the FIRM and the community has established a BFE for this building site, indicate the community's BFE:	Provide the following from t	he proper FIRM (See	Instructions):	Vite	Same :	Star and
 a. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7). SECTION C BUILDING ELEVATION INFORMATION a. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level a. FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of				1	19/26	
Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 8. (a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 1.111. B feet NGVD (or other FIRM datum-see Section B, Item 7). (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of 1.111. B feet NGVD (or other FIRM datum-see Section B, Item 7). (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is 1.111. Feet above □ or below □ (check one) the highest grade adjacent to the building. (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is 1.111. Feet above □ or below □ (check one) the highest grade adjacent to the building. (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is 1.111. Feet above □ or below □ (check one) the highest grade adjacent to the building. (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is 1.111. Feet above □ or below □ (check one) the highest grade adjacent to the building. (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is 1.111. Feet above □ or below □ (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? □ Yes □ No □ Unknown Indicate the elevation datum system used in determining the above reference level elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.) Elevation reference mark used appears on FIRM	3. For Zones A or V, where	no BFE is provided o	n the FIRM, a	nd the community has esta	blished a BFE f	
 describes the subject building's reference level 8		SECTIO	ON C BUILD	ING ELEVATION INFORM	ATION	
 one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? Yes No Unknown Indicate the elevation datum system used in determining the above reference level elevations: NGVD '29 Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.) Elevation reference mark used appears on FIRM: Yes XNo (See Instructions on Page 4) The reference level elevation is based on: actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.) 	the selected diagram, (c). FIRM Zone A (without	is at an elevation of BFE). The floor used	as the refere	feet NGVD (or other FIR ence level from the selected	M datum-see S	ection B, Item 7).
under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.) . Elevation reference mark used appears on FIRM: Yes X No (See Instructions on Page 4) . The reference level elevation is based on: Actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building duting the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)	one) the highest grade	adjacent to the build	ing. If no floor	d depth number is available	e, is the building	's lowest floor (reference
 Elevation reference mark used appears on FIRM: Yes No (See Instructions on Page 4) The reference level elevation is based on: Actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.) 	under Comments on Pag the FIRM [see Section]	e 2). (NOTE: If the e B, Item 7], then conve	elevation datu	m used in measuring the e	levations is diffe	erent than that used on
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)			RM: 🗌 Yes [x No (See Instructions or	Page 4)	
The elevation of the lowest grade immediately adjacent to the building is: 1 1 8 9 foot NGVD (or other EIDM dotum coo	(NOTE: Use of construct case this certificate will or	tion drawings is only t nly be valid for the bui	valid if the buil	lding does not yet have the	reference level	
Section B, Item 7).	A DECEMBER OF	st grade immediately	adjacent to th	e building is:	eet NGVD	(or other FIRM datum-see
SECTION D COMMUNITY INFORMATION						

floor" as defined by the ordinance is:

2. Date of the start of construction or substantial improvement


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features–If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

- 25

THOMAS E. ROBINSON	n (4075				
CERTIFIER'S NAME		LICENSE NUMBER (or Affix Seal)					
PROF. LAND APRVEYOR - OWNER &	PRES. COMPAN		LAND SURV	YEYING, IN	с.		
ADDRESS	CITY		SARASOTA	STATE	FL. ZIP		
SIGNATINE		3/3/94 DATE	<u>813</u> –9 ⊧	54-4473 PHONE	21 24(12)(1		
Copie social be made of this Certificate for: 1) co	ommunity o	fficial, 2) insuran	ce agent/compa	any, and 3) build	ing owner.		
2000WELLIO. 99999994	. E.		L David A Robert A				
Land to Pt H Sur P Sur Photo -					060 S. (0 g. (*		
				for spageral Robert			



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.