ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.


| 8 | SECTION A PR | OPERTY INFO | ORMATION | | FOR INSURANCE COMPANY USE |
|--|--|---|--|---|---|
| BUILDINGOWNER'S NAME Borger & | Assaa | | | | POLICY NUMBER |
| STREET ADDRESS (Including A | | Number) OB PO | BOUTE AND BOX NUMBER | | COMPANY NAIC NUMBER |
| 3495 B | | ne | HOUTE AND BOX NOMBER | | COMPANY NAIO NOMBER |
| OTHER DESCRIPTION (Lot and | | | | | |
| LOT 2 COREY'S | S LANDING | | | ŞTATE | ZIP CODE |
| Longbog | at Key | | | FL | 34228 |
| 2 | SECTION B FI | OOD INSUR | ANCE RATE MAP (FIRM) | NFORMATION | 0 10 10 10 10 10 10 10 10 10 10 10 10 10 |
| Provide the following from t | he proper FIRM (See | Instructions): | | | 12 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 |
| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION (in AQ Zones, use depth) |
| 125126 | 0010 | В | AUGUST 15, 1983 | AIS | 12.0 |
| . For Zones A or V, where | no BFE is provided o | n the FIRM, ar | nd the community has estal FIRM datum-see Section | olished a BFE f | Other (describe on back) or this building site, indicate |
| | SECTIO | ON C BUILDI | ING ELEVATION INFORM | ATION | |
| (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in acco Indicate the elevation dat under Comments on Page | is at an elevation of BFE). The floor used the highest grade ad floor used as the refer adjacent to the build ordance with the comm tum system used in do ge 2). (NOTE: If the electronic system and the system and the system and the system and the system area area and the system area area area and the system area area area area area area area ar | . The bottom of d as the referent ljacent to the b rence level from ing. If no flood nunity's floodpl etermining the elevation datur | of the lowest horizontal stru- feet NGVD (or other FIRM nce level from the selected building. In the selected diagram is d depth number is available lain management ordinance | I datum-see S diagram is diagram is is the building is the building P Yes ations: X NGN evations is different set | bove or below (check 's lowest floor (reference No Unknown VD '29 Other (describe brent than that used on |
| equation under Commen | ts on Page 2.) | | _ | | |
| | | | No (See Instructions on | • | |
| (NOTE: Use of construc | tion drawings is only with the built of the built of the built for the built for the built for the built of t | alid if the build | uction Construction dra ding does not yet have the se course of construction. A | reference level | |
| . The elevation of the lowe Section B, Item 7). | est grade immediately | adjacent to the | e building is: 6 | 5 feet NGVD | (or other FIRM datum-see |
| | SE | CTION D CO | OMMUNITY INFORMATION | N | |
| | s defined in the comm rdinance is: | nunity's floodpl | ain management ordinance | , the elevation | - |

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features–If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

| CERTIFIER'S NAME | LICENSE NUMBER (or Affi | x Seal) | |
|---|---|------------------------------|-----|
| DENNIS R. HOOVER | 4419 | | |
| TITLE | | | |
| Não Mar Lan | d Surveyor BISHOP & | ASSOCIATES | |
| ADDRESS A R HA TRA | CITY | STATE | ZIP |
| 78 SARASOTA CENTER BOULEVA | RD SARASOTA, FLORIDA 34240 | | |
| SIGNATURE OF THE SIGNATURE | 1-14-91 | PHONE 813/371-6362 | |
| Copies should be made of this Certificate | e for: 1) community official, 2) insurance agent/ | company, and 3) building own | er. |
| | | | |
| COMMENTS: | | | |
| COMMENTS: | | | |
| COMMENTS: | | 2 | |
| COMMENTS: | | 2 | |
| COMMENTS: | | 2 0 mil 1 | |
| COMMENTS: | | 2 | |



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.