ELEVATION CERTIFICATE

O.M.B. No 3067-0077 Expires May 31 1993

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to permine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME BOKE & ASSOC					POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and LOT! COREY'S LAND					
CITY CORET'S LAND	DING			STATE	ZIP CODE
Longboat	Key			FL	11. 141 S. 3. 3. 4
	SECTION B FL	OOD INSURA	ANCE RATE MAP (FIRM	INFORMATION	\$ 0000 Se
rovide the following from t	he proper FIRM (See	Instructions):	7-27		
1. COMMUNITY NUMBER	1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM I		4. DATE OF FIRM INDEX	5. FIRM ZONE	6: BASE FLOOD ELEVATION (in AO Zones, use depth)
125126	0010	В	AUGUST 15, 1983	A13	12.0'
3. For Zones A or V, where	no BFE is provided or	n the FIRM, ar	ase Flood Elevations (BFI nd the community has est FIRM datum-see Section	ablished a BFE fo	Other (describe on back or this building site, indicate
	SECTIO	N C BUILDI	NG ELEVATION INFORM	MATION	
the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in acco. Indicate the elevation dat under Comments on Pag the FIRM [see Section B	VE, and V (with BFE). is at an elevation of BFE). The floor used the highest grade addition used as the reference adjacent to the building rdance with the community system used in detection (NOTE: If the electric line in the converse of the system of the electric line in the electr	The bottom of the beautiful as the reference level from the beautiful as the reference level from the beautiful as the beauti	of the lowest horizontal state of the lowest horizontal state of the NGVD (or other FIF nee level from the selected uilding. In the selected diagram is a depth number is available ain management ordinance above reference level elements and the selected in measuring the selected in the	IM datum—see Sed diagram is	pove or below (checks lowest floor (reference No Unknown (D) '29 Other (describe
equation under Commen Elevation reference mark	0 /	M: X Yes	No (See Instructions o	n Page 4)	
The reference level eleval (NOTE: Use of construct case this certificate will or will be required once cons	ation is based on: X tion drawings is only vally be valid for the buil	actual constru	ction construction draing does not yet have the	awings reference level	floor in place, in which ion Elevation Certificate
i. The elevation of the lowe Section B, Item 7).	st grade immediately	adjacent to the	e building is: 6	. 5 feet NGVD (or other FIRM datum-see
	SE	CTION D CC	MMUNITY INFORMATION)N	
. If the community official renot the "lowest floor" as floor" as defined by the or . Date of the start of constr	s defined in the comm rdinance is:	unity's floodpla	ain management ordinand IGVD (or other FIRM datu	e, the elevation of the mean that the mean terms are section E	


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

LICENSE NUMBER (or Affix Seal) CERTIFIER'S NAME 4419 COMPANY NAME **BISHOP & ASSOCIATES** CITY **ADDRESS** STATE ZIP CENTER BOULEVARD, SARASOTA, FLORIDA 34240 78 SARASOTA SIGNATURE PHONE 813/371-6362 Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner. COMMENTS:



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.