## **ELEVATION CERTIFICATE**

O.M.B. No 3067-0077 Expires May 31, 1993

FEDERAL EMERGENCY MANAGEMENT AGENCY NOS NO: 93-0567

TENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION					OF HEURANCESCOMPANY USE
BUILDING OWNER'S NAME WILL, MICHAEL B					
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER  COMPANY NAIC NUMBER					
508 BAYVIEW DRIVE					
OTHER DESCRIPTION (Lot and Block Numbers, etc.)					
LOT 29, SLEEPY LAGOON, DB. 291, RQ. 99 FIOI, P. R. M.C. PINGBOAT OF STATE ZIPOGDE					
Longboat Key FL 34228					
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
Provide the following from the proper FIRM (See Instructions):					
1. COMMUNITY NUMBER 2.	PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
	2005	D	5/18/92	A-13	11.0 FT.
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate					
the community's BFE: feet NGVD (or other FIRM datum-see Section B, Item 7).					
SECTION C BUILDING ELEVATION INFORMATION					
describes the subject building 2(a). FIRM Zones A1-A30, AE, A of James A1-A30, AE, A feet NG (b). FIRM Zones V1-V30, VE, a the selected diagram, is at a (c). FIRM Zone A (without BFE) below (check one) the h one) the highest grade adja level) elevated in accordance 3. Indicate the elevation datum s under Comments on Page 2). the FIRM [see Section B, Itel equation under Comments on	AH, and A (with BF VD (or other FIRM and V (with BFE). In elevation of the last of the las	The top  If datum—see The bottom of the bottom of the as the reference the acent to the bottom of the bottom	Section B, Item 7).  of the lowest horizontal structure of the lowest few lands and the lowest few lowes	ructural member of RM datum—see Sed diagram is feet about the property of the control o	f the reference level from ction B, Item 7).  J.  feet above or or or below (check lowest floor (reference No Unknown 0'29 Other (describe ent than that used on
4. Elevation reference mark used appears on FIRM:   Yes No (See Instructions on Page 4)					
5. The reference level elevation is based on: 🔀 actual construction 🗀 construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)					
6. The elevation of the lowest grade immediately adjacent to the building is: 19 feet NGVD (or other FIRM datum-see Section B, Item 7).					
SECTION D COMMUNITY INFORMATION					
If the community official responsis not the "lowest floor" as defined by the ordina 2. Date of the start of construction	nce is:	unity's floodpl		ce, the elevation o	f the building's "lowest

## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

TITLE

COMPANY NAME

PRESIDENT

TERRY T. WHEELER P.L.S., INC.

ADDRESS

CITY

STATE

CITY

SIGNATURE


DATE

PHONE

B13 - 377 - 3157

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS:



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.