O.M.B. No 3067-0077 Expires May 31, 1993

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

TTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	FOR INSURANCE COMPANY USE					
BUILDING OWNER'S NAME HUNT BUILDING COR		POLICY NUMBER				
STREET ADDRESS (Including A		COMPANY NAIC NUMBER				
531-533 Fo	1 7 2 1 1 1 1 2 2 2 1 m					
OTHER DESCRIPTION (Lot and						
	RS EAST, SECTION	ON II		07475		
CITY LONGBOAT KEY FL					ZIP CODE,	
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION		
Provide the following from t	he proper FIRM (See	Instructions):		*	112 2	
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	E 6. BASE FLOOD ELEVATION (in AO Zones, use depth)	
125126	0005	C	10/01/83	A13	≥1 ∓	
8. For Zones A or V, where	no BFE is provided o	n the FIRM, an		ablished a BFE f	Other (describe on back) or this building site, indicate	
	SECTION	ON C BUILDI	NG ELEVATION INFORM	MATION		
the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in account and account to the comments on Pagethe FIRM [see Section equation under Comments on Page 14. Elevation reference marks.	VE, and V (with BFE) is at an elevation of Last BFE). The floor used the highest grade action used as the reference adjacent to the build ordance with the community turn system used in dige 2). (NOTE: If the contents on Page 2.)	d as the referent discent to the bettermining. If no flood an unity's floodpletermining the elevation datument the elevation datument. The selevation datument the elevation datument the elevation datument the elevation datument.	of the lowest horizontal strong of the lowest horizontal strong of the NGVD (or other FIF nace level from the selected diagram is a depth number is available ain management ordinant above reference level element to the datum system used in the datum system in the datum system in the datum system system used in the datum system system used in th	M datum—see Sid diagram is Line is the building ce? If Yes If wations: NG NG levations is differed on the FIRM	bove or below (check 's lowest floor (reference No other (describe	
5. The reference level elevel (NOTE: Use of construct case this certificate will o will be required once con	tion drawings is only t nly be valid for the but	valid if the build Iding during the	ding does not yet have the	e reference level	floor in place, in which tion Elevation Certificate	
6. The elevation of the lower Section B, Item 7).	est grade immediately	adjacent to the	e building is: 6	feet NGVD	(or other FIRM datum-see	
	SE	CTION D CC	MMUNITY INFORMATIO	ON		
If the community official is not the "lowest floor" a floor" as defined by the case. Date of the start of const	rdinance is:	lunity's floodpla ⊥.	ain management ordinand IGVD (or other FIRM datu	e, the elevation	dicated in Section C, Item 1 of the building's "lowest 3, Item 7).	

SECTION E CERTIFICATION


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

LICENSE NUMBER (or Affix Seal) 4295			10000		
				•	
COMPANY NAME	COMPANY NAME			was a sent to the	
ZOLLER, NAJJ	AR & SHROYER,	INC.			
CITY			STATE	ZIP	
BRADENTON			FL	34206	
	DATE 2/22/91	PHONE 813-7	48-8080	11/21/09	
	COMPANY NAME ZOLLER, NAJJ CITY	4295 COMPANY NAME ZOLLER, NAJJAR & SHROYER, CITY BRADENTON DATE	4295 COMPANY NAME ZOLLER, NAJJAR & SHROYER, INC. CITY BRADENTON DATE PHONE	4295 COMPANY NAME ZOLLER, NAJJAR & SHROYER, INC. CITY STATE BRADENTON FL DATE PHONE	

COMMENTS



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.