EVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). **Instructions for completing this form can be found on the following pages.**


SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME					POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER					COMPANY NAIC NUMBER
6131 Gulf of Mexico Drive					JOHN ANT TO HOMBEN
OTHER DESCRIPTION (Lot and			(P = 7- P	4	
CITY CITY	Sleepy La	goon	(1.00)	STATE	ZIP CODE
lown of Congl	poot Keg	Mana	tel Costy	Fla.	34228
	SECTION B FL	LOOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	X
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
125126	0005	C	10/1/83	A 13	12.0
7. Indicate the elevation dat					Other (describe on back)
8. For Zones A or V, where					r this building site, indicate
the community's BFE:	eet N	IGVD (or other	FIRM datum-see Section	n B, Item 7) _.	
	SECTION	ON C BUILDI	NG ELEVATION INFORM	MATION	11 0 350 MAN
 (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in accost. 3. Indicate the elevation day under Comments on Page 	the highest grade ad floor used as the reference adjacent to the building rdance with the commutum system used in degree 2). (NOTE: If the early, then 7), then converge the highest system 7, then converge the system 1 is a sys	d as the referer ljacent to the b rence level fron ing. If no flood nunity's floodpl etermining the elevation datun	uilding. n the selected diagram is depth number is availabl ain management ordinand	d diagram is	ove or below (check lowest floor (reference No Other (describe ent than that used on
4. Elevation reference mark		RM: X Yes	No (See Instructions or	n Page 4)	
5. The reference level eleval (NOTE: Use of construction case this certificate will or will be required once construction).	tion drawings is only vally be valid for the bui	valid if the build ilding during the	ling does not yet have the e course of construction.	e reference level fl A post-construction	on Elevation Certificate
6. The elevation of the lowe Section B, Item 7).	st grade immediately	adjacent to the	e building is: LLLL 💋	. A feet NGVD (d	or other FIRM datum-see
	SE	CTION D CC	MMUNITY INFORMATIO)N	
I. If the community official r is not the "lowest floor" as floor" as defined by the o	s defined in the comm rdinance is:	nunity's floodpla	vations specifies that the rain management ordinance IGVD (or other FIRM datu	e, the elevation o	f the building's "lowest

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.