ELEVATION CERTIFICATE

O.M.B. No 3067-0077 Expires May 31, 1993

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

TION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

	SECTION A PRO	DERIA INE	OHMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME WESTON POINT	PR DAYSUK	POLICY NUMBER			
STREET ADDRESS (Including Ap	COMPANY NAIC NUMBER				
THER DESCRIPTION (Lot and I LOT-7	Block Numbers, etc.)			N. S C.	Manager and the season
ITY	15.12 423	A SECURIOR	and the same of	STATE	ZIP CODE
TOWN OF	F LONG BOAT			FLORID	
	SECTION B FL	OOD INSURA	ANCE RATE MAP (FIRM)	INFORMATION	1924+64
ovide the following from the	ne proper FIRM (See	nstructions):	Egrotty & Patrict	THE CAME OF	559/2 May 1884 82 89
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AQ Zones, use depth)
125126	0010	В	5-18-1992	0 4-19	FI. 511
	L feet NO	GVD (or other	FIRM datum-see Section	B, Item 7).	or this building site, indicate
-	SECTIO	N C BUILDI	NG ELEVATION INFORM	NOITAI	013
	E, and V (with BFE). at an elevation of BFE). The floor used	The bottom of th	of the lowest horizontal str feet NGVD (or other FIR nce level from the selected	M datum-see Se	
one) the highest grade a level) elevated in according andicate the elevation datu ander Comments on Page the FIRM [see Section B, equation under Comments	adjacent to the building dance with the common system used in det 2). (NOTE: If the eld ltem 7], then converted on Page 2.)	g. If no flood unity's floodplate ermining the evation datument the elevation	depth number is available ain management ordinance	e, is the building' ee? Yes Yes Vations: NGV levations is differed on the FIRM	No Unknown /D '29 Other (describe rent than that used on
The reference level elevation NOTE: Use of construction ase this certificate will only will be required once consti	on drawings is only va	lid if the build	ling does not yet have the	reference level i	floor in place, in which ion Elevation Certificate
he elevation of the lowest Section B, Item 7).	grade immediately a	djacent to the	building is: 110.	LO feet NGVD (or other FIRM datum-see
	SEC	TION D CO	MMUNITY INFORMATIO	N	
ommunity official resistant the "lowest floor" as defined by the ord	defined in the commulinance is:	nity's floodpla	in management ordinance GVD (or other FIRM datur	e, the elevation on n-see Section B	dicated in Section C, Item 1 of the building's "lowest s, Item 7).

SECTION E CERTIFICATION


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE), V1–V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

O

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)				
JOHN C. MINDER		4071			
TITLE COMPA	ANY NAME		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
PRESIDENT MINDER 8	RHODES	ENGINEERING	CORPO	RATION	authoria.
ADDRESS CITY	42			STATE	ZIP
3900/CLARK ROAD C SARA	ASOTA	21 (0)	F	LORIDA	34233
SIGNATURE ALL SIGNATURE	rt"	DATE 2/10/94	PHONE		
Copies should be made of this Certificate for 1) community	official, 2) in	surance agent/com	pany, and	d 3) building ov	vner.
COMMENTS:				LLLLiaso	Cymer. Area.
EYOR	1 = 7				
					1
				A DALASCHA	



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.