ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to bvide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to stermine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME					POLICY NUMBER
GTE FLORIDA, INC					· · · · · · · · · · · · · · · · · · ·
STREET ADDRESS. (Including Apt., Unit, Suite and/or Bidg. Number) OR P.O. ROUTE AND BOX NUMBER					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and I		7 = x / CO	PRIVE		L
		LOON 3	SUB DIVISION		
CITY LONGBOA		,		OR IDA	ZIP CODE 34228
	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	l
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
125126	0005	D	5/18/92	A 13	(in 40 Zonos, use depth)
 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): ANGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum-see Section B, Item 7) 					
SECTION C BUILDING ELEVATION INFORMATION					
 of 12 6 fee (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fore) the highest grade level) elevated in acco 3. Indicate the elevation dat under Comments on Page the FIRM [see Section for equation under Comment 4. Elevation reference mark 5. The reference level elevation case this certificate will on will be required once comment 	AE, AH, and A (with B AE, AH, and A (with B et NGVD (or other FIF VE, and V (with BFE)) is at an elevation of L BFE). The floor used the highest grade ac floor used as the refer adjacent to the build rdance with the comm tum system used in d ge 2). (NOTE: If the B, Item 7], then conver- tis on Page 2.) a used appears on FIF ation is based on: tion drawings is only may be valid for the build struction is complete.,	BFE). The top BFE). The top M datum-see The bottom of a sthe referent d as the reference d as the	of the reference level floo Section B, Item 7). of the lowest horizontal st feet NGVD (or other FIF nee level from the selecte uilding. In the selected diagram is depth number is available ain management ordinan above reference level ele mused in measuring the ele mused in measuring the ele fins to the datum system u. No (See Instructions of lection C) construction di ding does not yet have the electors of construction.	ar from the select ructural member RM datum-see S d diagram is d diagram is d diagram is feet a le, is the building ce?Yes evations: X NG elevations is diffe sed on the FIRM n Page 4) rawings e reference level A post-construct	ted diagram is at an elevation of the reference level from Section B, Item 7). feet above or above or below (check g's lowest floor (reference No Unknown VD '29 Other (describe erent than that used on A and show the conversion
6. The elevation of the lowe Section B, Item 7).	est grade immediately	adjacent to the	e building is:	. Z feet NGVD	(or other FIRM datum-see
	the second s		MMUNITY INFORMATIC		
floor" as defined by the o 2. Date of the start of constr	rdinance is:	foot N	an management ordinand	ce, the elevation	ndicated in Section C, Item 1 of the building's "lowest B, Item 7).
FEMA Form 81-31, MAY 90			SALL PREVIOUS EDITIONS		REVERSE SIDE FOR CONTINUATION

SECTION E CERTIFICATION This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation Information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification. Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered. I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. CERTIFIER'S NAME LICENSE NUMBER (or Affix Seal) EDWARD C. AHLE 3975 TITLE COMPANY NAME ALPHA OWNER PROF. LAND SURVEYOR SURVEYING CONSULTANTS ADDRESS CITY ZIP 5905 BRAPENT 34208 SIGNATURE DATE PHONE 813 タフフフ 12 Coples should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner. COMMENTS: ON PILES. ON WITH PIERS, OR COLUMNS SLAB BASEMENT V 1 Δ ZONES ZONES ZONES ZONES ZONES REFERENCE LEVEL REFERENCE REFERENCI LEVEL IF'/FL ASIGNEER BASI REFERENCE LEVE ELEVATIO REFERENCE ADJACEN LEVEL GRAD ADJACEN' The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

Page 2