ELEVATION CERTIFICATE

O.M.B. No 3067-0077 Expires May 31, 1993

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ON: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

BUILDING OWNER'S NAME ROBERT B. F. EVELYN G. CHAPMAN					FOR INSURANCE COMPANY USE
					POLICY NUMBER
STREET ADDRESS (Including A)	ot., Unit, Suite and/or Bldg. I	Number) OR P.O. F	ROUTE AND BOX NUMBER	7	COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and	OCK ZZ, (C	DNGBEAC	4 80		
LONGBOAT	KEY	id i		STATE FL	ZIP CODE
	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
ovide the following from t	he proper FIRM (See	Instructions):			2 8- 83
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
125126	0005	D	5-18-92	A-13	11'
Indicate the elevation data For Zones A or V, where the community's BFE:	no BFE is provided o	n the FIRM, ar	d the community has est	ablished a BFE f	Other (describe on back) or this building site, indicate
	SECTION	ON C BUILDI	NG ELEVATION INFORM	MATION	
(b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in accoundicate the elevation da under Comments on Page the FIRM [see Section equation under Comments on Page 1 (a) (b) (c) (c) (c) (c) (d) (d) (d) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e	et NGVD (or other FIR VE, and V (with BFE) is at an elevation of BFE). The floor used the highest grade action of the highest grade action used as the refer adjacent to the build ordance with the commutum system used in dige 2). (NOTE: If the elem 7], then converts on Page 2.)	IM datum—see The bottom of the dass the reference level from the date of the d	Section B, Item 7). If the lowest horizontal structure in the selected diagram is depth number is available ain management ordinant above reference level element to the datum system unit of the lowest to the datum system unit of the lowest in the l	ructural member MM datum—see Se d diagram is feet a le, is the building ce? Yes evations: X NGN elevations is diffe sed on the FIRM	bove or below (check 's lowest floor (reference No Unknown /D '29 Other (describe
. Elevation reference mark			_		
The reference level eleval (NOTE: Use of construct case this certificate will on will be required once con	tion drawings is only t nly be valid for the bu	valid if the build ilding during th	ding does not yet have the	e reference level	
The elevation of the lower Section B, Item 7).	est grade immediately	adjacent to the	e building is:3	. 3 feet NGVD	(or other FIRM datum-see
	SI	ECTION D CO	MMUNITY INFORMATION	ON	
is not the "lowest floor" as defined by the constant of constant of constant is not the constant of the start of constant is not the constant in the constant is not the constant in the constant in the constant is not the constant in the community of the communi	s defined in the commordinance is:	nunity's floodpl	vations specifies that the ain management ordinan IGVD (or other FIRM date	ce, the elevation	

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE), V1–V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME

LEO MILLS JR.

COMPANY NAME

L.S. # 3513

TITLE

FL. PROFESSIONAL Land Surveyor Leo Mills ASSOC.


ADDRESS

STATE

SIGNATURE

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS:



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.