O.M.B. No 3067-0077 Expires May 31, 1993

ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

TENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to vide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

		FOR INSURANCE COMPANY USE			
BUILDING OWNER'S NAME	s Marghi		EE	10 18 2	
STREET ADDRESS (Including Ap			ROUTE AND BOX NUMBER		SMPANY NAIC NUMBER
LONG BOAT CLU		1	/	DEC L	
THER DESCRIPTION (Lot and I LOTS 1, 2 & 3	for a second	RT	/	DEC 22	507
	, 1000001 000			TOTLOIAN	ZIP CODE
TOWN OF LONG	BOAT KEY	에 문화되는 가입니다. 신문화 전		FLOROSTA	J
	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	ENT
ovide the following from the	he proper FIRM (See	Instructions):	C Mar 21		
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
125126	0010	В	5/18/92	V-17*	EL. 13
For Zones A or V, where	no BFE is provided o	n the FIRM, an		ablished a BFE for	Other (describe on back this building site, indicate EE COMMENTS
· · · · · ·	SECTIO	ON C BUILDI	NG ELEVATION INFORM	ATION	
	BFE). The floor used	as the referen	feet NGVD (or other FIRI ce level from the selected uilding.		
one) the highest grade	adjacent to the buildi	ng. If no flood	n the selected diagram is depth number is available ain management ordinanc	e, is the building's	
under Comments on Page the FIRM [see Section B equation under Comment	e 2). (NOTE: If the e 3, Item 7], then conve ts on Page 2.)	elevation datum rt the elevation	above reference level elevel used in measuring the elevel is to the datum system use	evations is different ed on the FIRM an	nt than that used on
			No (See Instructions on		
The reference level elevat (NOTE: Use of construction case this certificate will only will be required once const	ion drawings is only v ly be valid for the buil	alid if the build	ing does not yet have the	reference level flo	or in place, in which n Elevation Certificate
	t grada immediatet	adjacent to the	building is: 1 1 0 7	2 feet NGVD (or	
The elevation of the lowes Section B, Item 7).	st grade immediately a	,			other FIRM datum-see
The elevation of the lowes Section B, Item 7).					other FIRM datum-see
the community official re	SE	CTION D CO		N forence level indi	

2. Date of the start of construction or substantial improvement

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features–If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME		an Phil			LICENSE NU	MBER (or Affix S	Seal)			
FRED W. LE	WIS	1969612				4305	,			
TITLE	WID	Contraction of the second		COMPANY NAM						
PROFESSION	AL SURV	VEYOR		MINDER	& RHOI	DES ENGI	NEERIN	G CORPO	RATIO	V
ADDRESS		a second and a		CITY				STATE		ZIP 4233
3900 CLARK	ROAD	STE H-3	-	SARASO'	ГА		an an San Ar	${ m FL}$	34	4233
SIGNATURE	111-	Lawin	2		DAT MAY 12	re 2, 1993	PHON (8	E 13) 922	-7848	
Copies should be r	nade of this	s Certificate	for: 1) comn	nunity official	, 2) insuraı	nce agent/c	ompany, a	nd 3) buildir	ng owner	e Status
COMMENTS:	SUBJECT	r proper	TY LIES	WITHIN	ZONES A	A13(EL12	2), V17	(EL13),	V17()	EL15
AND V17(EI	16).	SUBJECT	BUILDIN	G LIES E	NTIRELY	WITHIN	I ZONE	V17(EL1	3).	
all all and a sugar	9:00.2058	nn of the second			1. 1.	1	nata isak	a a sub a	N valer ei	decini-
A second file -	The							<u>2010 - 0.008</u> 6 - 7 - 0.5 - 5 -	<u>1965 - 1965</u>	Karalan I
So mo Con	alle									
1:2 -10 19:	O.				1		al de la			
··· ·· ···	self.	to ascimenta	nuly size barr	9.85	12.42.25		1.2013.00	<u>o 1997 - 1897 - 1</u>		9-11
1:0 Ma 8										
	R.	200	· · · · · · · · · · · · · · · · · · ·	2	an aller an der handen generen einer	and the second	No gil desta de	(net) in the state	Ver Section	
The company	NE .				1.2	્રી પ્રકાર તેવલે		Sile (Chine)		4530
11.03	te .	1.7.4 1.7.4			1.	al a star	er and interest		Anne AL	
Willinderene.	ON SLAB			WITH BASEMENT			ON P			Linns
14 A	and a second second						Sand and the second	COLUMNS		amal
A ZONES	ZONES	3		TT ZONES			A ZONES	V ZONES TH		
the state of the state of the	diga.	GVER HALLE				REFERENC			Man Laking	Second Company
	The the			E A	BASE	LEVEL	JTT-		REFERENCE	
	IN VI			500 C	ELEVATION				C (Stories)	in the store
unt		- ture			metru			h	un	initevel
							T		BASE	
BASE FLOOD		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	ADJACENT		REFERENCE			DI	FLOOD	
ELEVATION	REFER		GRADE	- 📓 /			ANN .	h		
	. noileand	Contra Contra (MIN	AVY		
				Cite Stational Processing					-	
								IV/	ADJACENT	49329 (df
							· Kri	M	GRADE	
The diagrams a	bove illustra	ate the points	at which the	elevations sho	ould be mea	asured in A Z	Zones and	V Zones.		

Elevations for all A Zones should be measured at the top of the reference level floor.

100000000000

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.