ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

CENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

-			PHATION		AND A COMPANY OF COMPANY OF COMPANY
	SECTION A PRO	PERIYINFO	RMATION		OR INSURANCE COMPANY USE
LARRY C		mos		600	OLICY-NUMBER
	AWITT	umber) OR P.O. F アRIVE	ROUTE AND BOX NUMBER	DEC 9	COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and E		1.1		A	TACNIT
Fema Conformi	g Deteched Hd	detion	only	BUILDING DEPAR	AT KEY
LONG BOAT	KEY, SAR	ASOTA	-	FC	ZIP CODE 3 4 2 28
	SECTION B FL	DOD INSURA	ANCE RATE MAP (FIRM	INFORMATION	e la Materia da Frencia
Provide the following from the	ne proper FIRM (See I	nstructions):	1. N. 1.		
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
125126	0005	D	5/13/92	A 13	(in AO Zones, use depth)
 Indicate the elevation dat For Zones A or V, where the community's BFE: 	no BFE is provided on	the FIRM, an	nd the community has est	ablished a BFE fo	Other (describe on back) r this building site, indicate
7	SECTIO	NC BUILDI	NG ELEVATION INFORM	MATION	14.1.1.1.1.1
 (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The form one) the highest grade 	VE, and V (with BFE). s at an elevation of BFE). The floor used the highest grade adja loor used as the refere adjacent to the buildir rdance with the commu- um system used in der e 2). (NOTE: If the el 3, Item 7], then convert	The bottom of as the referent acent to the bounce level from ing. If no flood unity's floodplater termining the evation datum	of the lowest horizontal st feet NGVD (or other FIF nee level from the selecter uilding. In the selected diagram is depth number is availab ain management ordinan above reference level ele in used in measuring the elevel	M datum-see Sed d diagram is d diagram is feet abo le, is the building's ce? Yes N evations: X NGVI elevations is differe	ction B, Item 7). . feet above or ove or below (check lowest floor (reference No Unknown 0 '29 Other (describe ent than that used on
4. Elevation reference mark		M: 🖂 Yes 🗌	No (See Instructions o	n Page 4)	
5. The reference level eleva (NOTE: Use of construct case this certificate will or will be required once cons	tion is based on: 🔀 a ion drawings is only va ily be valid for the build	actual constru alid if the build	iction construction d	rawings e reference level fl	oor in place, in which on Elevation Certificate
6. The elevation of the lowe Section B, Item 7).	st grade immediately a	idjacent to the	e building is:	. 19 feet NGVD (c	or other FIRM datum-see
t	SEC	CTION D CO		ON	
If the community official re is not the "lowest floor" as floor" as defined by the or 2. Date of the start of constr	esponsible for verifying defined in the community dinance is:	building elev inity's floodpla	vations specifies that the ain management ordinand IGVD (or other FIRM date	reference level ind	icated in Section C, Item 1 f the building's "lowest Item 7).


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features–If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

LICENSE NUMBER (or Affix Seal) CERTIFIER'S NAME 3975 EDWARD C. AHLF LS TITLE COMPANY NAME PROFESSIONAL SURVEYING CONSULTANTS LAND SURVEYOR ALPHA CITY STATE ZIP ADDRESS BRADENTON FC 3874 E. 34208 5905 AVE PHONE SIGNATURE 96 941 742 9777 12 Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner. BUILDING NEW STRUCT URE AC COMMENTS: = 4.6 FLOOR RST COND FLOOR 5 13.8 SE



Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.