O.M.B. No 3067-0077 Expires May 31, 1993

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY	INFORMATION	-	FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	which the same and the same and the same		POLICY NUMBER
Robert I. & Paula A.			
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) O 981 Longboat Key Club Road		A save	COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.) Lot 5, "UNIT NO. 5 LONGBOAT	KEY CLUB SUBDIVISION"	(P.B. 31	, Pgs. 16-16A)
Town of Longboat Key, Sara	sota County	STATE Fl.	ZIP CODE 34228
SECTION B FLOOD IN	SURANCE RATE MAP (FIRM) I	NFORMATION	
Provide the following from the proper FIRM (See Instruction	ons):		
COMMUNITY NUMBER 2. PANEL NUMBER 3. SUF	FIX 4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
125126 0010 B	May 18, 1992	A 13	(in AO Zones, use depth)
7. Indicate the elevation datum system used on the FIRM 8. For Zones A or V, where no BFE is provided on the FIF the community's BFE: feet NGVD (or	M, and the community has estab	olished a BFE fo	
	JILDING ELEVATION INFORMA		
 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The of 12 12 3 5 feet NGVD (or other FIRM datum (b). FIRM Zones V1-V30, VE, and V (with BFE). The both the selected diagram, is at an elevation of 14 14 15 16 16 16 16 16 16 16	esee Section B, Item 7). Itom of the lowest horizontal struction of the lowest horizontal struction. I feet NGVD (or other FIRM eference level from the selected in the building. I from the selected diagram is flood depth number is available, podplain management ordinance of the above reference level elevated at turn used in measuring the elected.	ctural member of datum—see Sediagram is feet ab is the building's ? Yes ations: X NGV	of the reference level from ection B, Item 7). determined feet above or or or below (check is lowest floor (reference) No Unknown D '29 Other (describe)
4. Elevation reference mark used appears on FIRM: X Y	es No (See Instructions on F	Page 4)	
5. The reference level elevation is based on: X actual conclusion (NOTE: Use of construction drawings is only valid if the case this certificate will only be valid for the building during will be required once construction is complete.)	nstruction construction draw	vings	loor in place, in which on Elevation Certificate
The elevation of the lowest grade immediately adjacent Section B, Item 7).	to the building is:54	feet NGVD (d	or other FIRM datum-see
SECTION D	COMMUNITY INFORMATION	2.,	de la grape de
1. If the community official responsible for verifying building is not the "lowest floor" as defined in the community's flo floor" as defined by the ordinance is:	elevations specifies that the refe odplain management ordinance, set NGVD (or other FIRM datum-	the elevation of	f the building's "lowest


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NU	LICENSE NUMBER (or Affix Seal)					
Charles D. Webb, Jr.	P.L.S. #2187						
TITLE	COMPANY NAME	33,23					
Pres.	Charles D. Webb,	Inc.			Special special section of the secti		
ADDRESS	CITY			STATE	ZIP		
6005 38th Ave. Fast	Bradenton,			Fl.	34208		
SIGNATURE /	DA	re L/93	PHON (813)7	45-2300			
opies should be made of this Certificate for: 1					owner.		
Copies should be made of this Certificate for: 1					owner.		
					owner.		
					owner.		
					owner.		
Copies should be made of this Certificate for: 1					owner.		



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.