U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28, 2009

Federal Emergency Management Agency National Flood Insurance Program Important: Read the instructions on pages 1-8.

			A DROBERTY INFORMA	TION	For Insurance Company Use:
		SECTION	N A - PROPERTY INFORMA		Policy Number
Building Owner's Name Bill D. Johnson, Trustee Bill D. Johnson, Trustee Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.					Company NAIC Number
596 5 Gulf of Mex	ico Dr.	,	State	7	IP Code
City Longboat Key		*	FL		
Property Description (L Metes & Bounds	ot and Block Num	nbers, Tax Parcel Num	ber, Legal Description, etc.)		
D. Hair - Hee (o.g. Pos	idential Non-Res	idential, Addition, Acce	essory, etc.) <u>Residential</u> 82° 40′02.65°	al / II is a stal D	atum: NAD 1927 X NAD 1983
Latitude/Longitude: Lat	27 25 12	2.66" N. Long.	82°40′02.65° being used to obtain flood insura	mce.	atum w.s roz.
Attach at least 2 photo	graphs of the build	ding if the Certificate is			ched garage, provide:
For a building with a CI	rawl space or encl	losure(s), provide:	D/ID -\ Cal	are footage of atta	ched garage
-) Course footage of	crawl space or en	ICIOSUIE(5)	b) No	of permanent floor	openings in the attached garage ove adjacent grade
b) No. of permanent f enclosure(s) walls	within 1.0 foot abo	ove adjacent grade	1-1	is within 1.0 foot at al net area of flood	openings in A9.b 1285 sq in
c) Total net area of fl	ood openings in A	18.D 4	250		
	SECT	TION B - FLOOD IN:	SURANCE RATE MAP (FIRM	I) INFORMATIO	N
. NFIP Community Nam	e & Community No	umber B:	2. County Name Manatee		B3. State FL
Town of Long	boat Key 125	120	B7. FIRM Panel	B8. Flood	B9. Base Flood Elevation(s) (Zon
34. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	Effective/Revised Date	Zone(s)	AO, use base flood depth)
125126 0005	В	05/18/92	05/18/83	A13	
Indicate the source of	the Base Flood E	levation (BFE) data or	base flood depth entered in Item	B9.	
CIC Profile	XIFIRM	Community Determine	,	Other (Describe)	
. Indicate elevation dat	um used for BFE	in Item B9: X NGVD	1929 NAVD 1988	cted Area (OPA)?	Yes X No
. Is the building located Designation Date	in a Coastal Ball	TEL TROSCUTOR OF THE	(CBRS) area or Otherwise Prote		
	SECTIO	N C - BUILDING E	LEVATION INFORMATION (SURVEY REQUI	RED)
Duilding aloyations are	hased on:	Construction Drawing	LEVATION INFORMATION (onstruction*	Finished Construction
Building elevations are	hased on:	Construction Drawing	s* Building Under Co	onstruction*	Finished Construction
A new Elevation Certi	e based on: ificate will be requi	Construction Drawing ired when construction (with BFE), VE, V1-V3 aspecified in Item A7.	Building Under Control of the building is complete. O, V (with BFE), AR, AR/A, AR/A	onstruction E, AR/A1-A30, AR/	AH, AR/AO. Complete Items C2.a-g
A new Elevation Certi . Elevations – Zones Af	e based on: ificate will be requi	Construction Drawing ired when construction (with BFE), VE, V1-V3 aspecified in Item A7.	Building Under Confirm the building is complete. O, V (with BFE), AR, AR/A, AR/A	onstruction E, AR/A1-A30, AR/	AH, AR/AO. Complete Items C2.a-g
A new Elevation Certi- Elevations – Zones A1 below according to the Benchmark Utilized	e based on: ificate will be requing the state of the sta	Construction Drawing ired when construction (with BFE), VE, V1-V3 specified in Item A7.	Is ☐ Building Under Co n of the building is complete. 0, V (with BFE), AR, AR/A, AR/A NT B· O Vertical Datu	enstruction* E, AR/A1-A30, AR/ m_NGVD_{9.24	AH, AR/AO. Complete Items C2.a-g
*A new Elevation Certi- Elevations – Zones A1 below according to the Benchmark Utilized Conversion/Comment	e based on: ificate will be requing the sequing the s	Construction Drawing ired when construction (with BFE), VE, V1-V3 a specified in Item A7.	Building Under Control of the building is complete. O, V (with BFE), AR, AR/A, AR/A NT B 10 Vertical Datum	E, AR/A1-A30, AR/ m_NGVD_[926	AH, AR/AO. Complete Items C2.a-g
*A new Elevation Certi- Elevations – Zones Af- below according to the Benchmark Utilized Conversion/Comment a) Top of bottom flo	be based on: Ifficate will be requificate will be requificate. 1-A30, AE, AH, A (and be building diagram building diagram building diagram building diagram building diagram building base or (including base)	Construction Drawing ired when construction (with BFE), VE, V1-V3 specified in Item A7.	Building Under Conference of the building is complete. O, V (with BFE), AR, AR/A, AR/A NT B 10 Vertical Datus	Check the measur	AH, AR/AO. Complete Items C2.a-g ement used. neters (Puerto Rico only) neters (Puerto Rico only)
*A new Elevation Certic Elevations – Zones Afbelow according to the Benchmark Utilized Conversion/Comment a) Top of bottom flots Top of the next head Conversion flots Conversion flots Conversion flots Conversion flots	e based on: Ifficate will be requi 1-A30, AE, AH, A (be building diagram C. C. C. L. Is oor (including base	Construction Drawing ired when construction (with BFE), VE, V1-V3 a specified in Item A7.	Building Under Conference of the building is complete. O, V (with BFE), AR, AR/A, AR/A N T B 10 Vertical Datus enclosure floor) 8.8	Check the measur	AH, AR/AO. Complete Items C2.a-g rement used. neters (Puerto Rico only) neters (Puerto Rico only) neters (Puerto Rico only) neters (Puerto Rico only)
*A new Elevation Certic Elevations – Zones Afbelow according to the Benchmark Utilized Conversion/Comment a) Top of bottom flob Top of the next hot Bottom of the low	be based on: Ifficate will be requificate will be requificate. In-A30, AE, AH, A (as building diagram and	Construction Drawing ired when construction (with BFE), VE, V1-V3 a specified in Item A7.	Building Under Control of the building is complete. O, V (with BFE), AR, AR/A, AR/A NT B 10 Vertical Datus enclosure floor) 8.8 20.5 nes only) 9.1	Check the measur feet measur f	AH, AR/AO. Complete Items C2.a-g Perment used. Deters (Puerto Rico only)
*A new Elevation Certic Elevations – Zones Afbelow according to the Benchmark Utilized Conversion/Comment a) Top of bottom flob) Top of the next how according to the low d) Attached garage	be based on: Ifficate will be requificate will be requificate. In-A30, AE, AH, A (be building diagram In-A30, AE, C. C. L.	Construction Drawing ired when construction (with BFE), VE, V1-V3 is specified in Item A7. MONUME. ement, crawl space, or uctural member (V Zoreguipment servicing the	Building Under Confidence of the building is complete. O, V (with BFE), AR, AR/A, AR/A N T B O Vertical Datus enclosure floor) 20.5 nes only)	Check the measure feet measure	AH, AR/AO. Complete Items C2.a-g Perment used. Deters (Puerto Rico only) Deters (Puerto Rico only) Deters (Puerto Rico only) Deters (Puerto Rico only)
*A new Elevation Certic Elevations – Zones Afbelow according to the Benchmark UtilizedConversion/Comment a) Top of bottom flob Top of the next hc) Bottom of the low d) Attached garage e) Lowest elevation (Describe type of	be based on: ifficate will be required. 1-A30, AE, AH, A (estinated by building diagram because of the control of the contro	Construction Drawing ired when construction (with BFE), VE, V1-V3 is specified in Item A7. MONUME. The ment, crawl space, or uctural member (V Zorequipment servicing the ments)	Building Under Conference of the building is complete. O, V (with BFE), AR, AR/A, AR/A O Vertical Datus enclosure floor) 19.5 19.5 e building A/C 20.5	Check the measure feet massure	AH, AR/AO. Complete Items C2.a-g rement used. reters (Puerto Rico only)
*A new Elevation Certic Elevations – Zones Afbelow according to the Benchmark Utilized Conversion/Comment a) Top of bottom flob Top of the next how a Bottom of the lov d) Attached garage e) Lowest elevation (Describe type of) Lowest adjacent	be based on: ifficate will be required. 1-A30, AE, AH, A (as building diagram (as building	Construction Drawing ired when construction (with BFE), VE, V1-V3 in specified in Item A7. MONUME ement, crawl space, or uctural member (V Zoraguipment servicing the member) (LAG)	Building Under Conference of the building is complete. O, V (with BFE), AR, AR/A, AR/A O Vertical Datus enclosure floor) 19.5 19.5 e building A/C 20.5	Check the measure feet massure	AH, AR/AO. Complete Items C2.a-g ement used. neters (Puerto Rico only)
*A new Elevation Certic Elevations – Zones Afbelow according to the Benchmark UtilizedConversion/Comment a) Top of bottom flob) Top of the next hc) Bottom of the low d) Attached garage e) Lowest elevation (Describe type of Lowest adjacent	be based on: Ifficate will be requificate will be requificate. In-A30, AE, AH, A (as building diagram and a color of the	Construction Drawing ired when construction (with BFE), VE, V1-V3 is specified in Item A7. MONUME ement, crawl space, or uctural member (V Zor equipment servicing the mments) (LAG) (HAG)	Building Under Color of the building is complete. O, V (with BFE), AR, AR/A, AR/A N B O Vertical Datus enclosure floor) 8 8 enclosure floor) nes only) e building A	Check the measure feet maximum	AH, AR/AO. Complete Items C2.a-g rement used. reters (Puerto Rico only)
*A new Elevation Certic Elevations – Zones Afbelow according to the Benchmark UtilizedConversion/Comment a) Top of bottom flob Top of the next how Bottom of the low Attached garage Lowest elevation (Describe type of Lowest adjacent Highest adjacent	be based on: Ifficate will be requificate will be requificate. In-A30, AE, AH, A (as building diagram and a construction of the construction of	Construction Drawing ired when construction (with BFE), VE, V1-V3 is specified in Item A7. MONUME ement, crawl space, or uctural member (V Zor equipment servicing the mments) (LAG) (HAG)	Building Under Conference of the building is complete. O, V (with BFE), AR, AR/A, AR/A O Vertical Dature enclosure floor) enclosure floor) B. 8 20.5 19.1 20.5 R, ENGINEER, OR ARCHITE	Check the measure feet massing	AH, AR/AO. Complete Items C2.a-g Perment used. Interest (Puerto Rico only)
*A new Elevation Certi Elevations – Zones Af below according to the Benchmark Utilized Conversion/Comment a) Top of bottom flo b) Top of the next h c) Bottom of the lov d) Attached garage e) Lowest elevation (Describe type o f) Lowest adjacent g) Highest adjacent	be based on: ifficate will be required. In-A30, AE, AH, A (a) be building diagram c. C. C. L. building diagram c. C. C. L. cor (including base higher floor west horizontal structure (top of slab) of machinery or eff equipment in Core (finished) grade (including base) (top of slab) of slab) of slab; of	Construction Drawing ired when construction (with BFE), VE, V1-V3 is specified in Item A7. MONUME. ement, crawl space, or uctural member (V Zorequipment servicing the member) (LAG) (HAG) TON D - SURVEYORD	Building Under Conference of the building is complete. O, V (with BFE), AR, AR/A, AR/A I B I O Vertical Datus enclosure floor) 8.8 20.5 nes only) e building A C 20.5 R, ENGINEER, OR ARCHITE engineer, or architect authorized to interment	Check the measure feet now fee	AH, AR/AO. Complete Items C2.a-g rement used. reters (Puerto Rico only)
*A new Elevation Certi Elevations – Zones Af below according to the Benchmark Utilized Conversion/Comment a) Top of bottom flo b) Top of the next h c) Bottom of the lov d) Attached garage e) Lowest elevation (Describe type o f) Lowest adjacent g) Highest adjacent	be based on: Ifficate will be requificate will be requificated by the requirement of the requirement of the requirement in Confinition of the requirement of the	Construction Drawing ired when construction (with BFE), VE, V1-V3 is specified in Item A7. MONUME ement, crawl space, or uctural member (V Zor equipment servicing the mments) (LAG) (HAG) TON D - SURVEYOR of this Certificate represents the punishable by fine	Building Under Conference of the building is complete. O, V (with BFE), AR, AR/A, AR/A AT B O Vertical Datus enclosure floor) B 8 20.5 nes only) e building A C 20.5 R, ENGINEER, OR ARCHITE seents my best efforts to interpret for imprisonment under 18 U.S. Conference of the building and the conference of the	Check the measure feet masure feet feet feet feet feet feet feet fe	AH, AR/AO. Complete Items C2.a-g rement used. reters (Puerto Rico only)
*A new Elevation Certification is to be This certification is to be to be comment or the love of the	be based on: Ifficate will be requificate will be requificated by the second of the secon	Construction Drawing ired when construction (with BFE), VE, V1-V3 in specified in Item A7. MONUME. Tement, crawl space, or uctural member (V Zoraguipment servicing the member) (LAG) (HAG) TON D - SURVEYOR of this Certificate representation on back of form.	Building Under Conference of the building is complete. O, V (with BFE), AR, AR/A, AR/A I B I O Vertical Datus enclosure floor) 8.8 20.5 nes only) e building A C 20.5 R, ENGINEER, OR ARCHITE engineer, or architect authorized to interment	Check the measure feet masure feet feet feet feet feet feet feet fe	AH, AR/AO. Complete Items C2.a-g rement used. reters (Puerto Rico only)
*A new Elevation Certification is to be This certification is to be to be comment or the love of the	be based on: Ifficate will be requificate will be requificated by the requirement of the requirement of the requirement in Confinition of the requirement of the	Construction Drawing ired when construction (with BFE), VE, V1-V3 is specified in Item A7. MONUME Tement, crawl space, or uctural member (V Zor equipment servicing the member) (LAG) (HAG) TON D - SURVEYOR of this Certificate representation back of form. Company Name	Building Under Conference of the building is complete. O, V (with BFE), AR, AR/A, AR/A PATE O Vertical Datus enclosure floor) enclosure floor) B. 8 20. 5 nes only) e building A C R, ENGINEER, OR ARCHITE engineer, or architect authorized by the conference or imprisonment under 18 U.S. Conference or imprisonment un	Check the measure of the data available. Code, Section 1001	AH, AR/AO. Complete Items C2.a-g rement used. reters (Puerto Rico only)
*A new Elevation Certification is to be necessary that any fall Check here if comments. **Comments** *A new Elevations — Zones Af below according to the Benchmark UtilizedConversion/Comment** *A new Elevations** *Benchmark UtilizedConversion/Comment** *A new Elevation for the low of the next here to be necessary to be necessary to be necessary to be necessary that any fallConversion for the necessary for the necessary that any fallConversion for the necessary	based on: Ifficate will be requificate will be requificated with the including base and sealed to the information of the statement may be the same provided.	Construction Drawing ired when construction (with BFE), VE, V1-V3 is specified in Item A7. MONUME ement, crawl space, or uctural member (V Zor equipment servicing the mments) (LAG) (HAG) TON D - SURVEYOR d by a land surveyor, ear this Certificate representation on back of form.	Building Under Conference of the building is complete. O, V (with BFE), AR, AR/A, AR/A PATE BY IO Vertical Datus enclosure floor) enclosure floor) B 8 20.5 PAR ENGINEER, OR ARCHITE engineer, or architect authorized by seents my best efforts to interpret for imprisonment under 18 U.S. Conference or imprisonment unde	Check the measure feet measure	AH, AR/AO. Complete Items C2.a-g Perment used. Meters (Puerto Rico only) Meters (Puerto Rico only)

/			
MPORTANT: In these spaces,	copy the corresponding information from	n Section A.	For Insurance Company Use:
Building Street Address (including Ap 5965 Gulf of Mexico Drive	ot., Unit, Suite, and/or Bldg. No.) or P.O. Route and	Box No.	Policy Number
City Longboat Key	State FL	ZIP Code	Company NAIC Number
SECTIO	N D - SURVEYOR, ENGINEER, OR ARCHI	TECT CERTIFICATION (C	CONTINUED)
Copy both sides of this Elevation Cer	tificate for (1) community official, (2) insurance age	ent/company, and (3) building	owner.
Comments Section B. Flood insurance rate man (FIR)	M) information be verified at local F.E.M.A. control offic	e File#01030433	
Signature Salar	Date 07/09/	2007	Порти
SECTION E - BUILDING ELE	EVATION INFORMATION (SURVEY NOT R		Check here if attachments O AND ZONE A (WITHOUT BFE)
and C. For Items E1-E4, use natural E1. Provide elevation information for grade (HAG) and the lowest ad a) Top of bottom floor (including b) Top of bottom floor (including b) Top of bottom floor (including E2. For Building Diagrams 6-8 with (elevation C2.b in the diagrams E3. Attached garage (top of slab) is E4. Top of platform of machinery an E5. Zone AO only: If no flood depth	g basement, crawl space, or enclosure) is g basement, crawl space, or enclosure) is permanent flood openings provided in Section A It) of the building is feet m	I. In Puerto Rico only, enter resistance whether the elevation feet meters feet meters tems 8 and/or 9 (see page 8 deters above or below the HAG. feet meters elevated in accordance with	above or below the highest adjacent below the HAG. below the LAG. of Instructions), the next higher floor with the HAG. below the HAG.
	N F - PROPERTY OWNER (OR OWNER'S I		TIFICATION
	rized representative who completes Sections A, B,		
or Zone AO must sign here. The state	ements in Sections A, B, and E are correct to the b		
Property Owner's or Owner's Authoriz	ed Representative's Name		
ress	City	State	ZIP Code
Signature	Date	Telep	hone
Comments		The transfer of the second	
,			Check here if attachments
	SECTION G - COMMUNITY INFORM	MATION (OPTIONAL)	Check here if attachments
	w or ordinance to administer the community's floo	dplain management ordinand	
G1. The information in Section C	was taken from other documentation that has beel	n signed and sealed by a lice	nsed surveyor, engineer, or architect who
	elevation information. (Indicate the source and da		
	ed Section E for a building located in Zone A (without ms G4G9.) is provided for community floodplain in		nity-issued BFE) or Zone AO.
G4. Permit Number	G5. Date Permit Issued		mpliance/Occupancy Issued
94. Ferrit Number	GS. Date Fernit Issued	Go. Date Certificate Of Co	ripliance/occupancy issued
G7. This permit has been issued for:	New Construction Substantial Improv		
G8. Elevation of as-built lowest floor (in	• • • • • • • • • • • • • • • • • • • •	feet	,
G9. BFE or (in Zone AO) depth of flood	ing at the building site:	feet	(PR) Datum
Local Official's Name	Title	9	
Community Name	Tek	ephone	CEIVED
Signature	Dat	e	SEP 2.0 2007
Comments		TOWN	OF LONGBOAT KEY
		Planni	no Zemme is dominate
			Check here if attachments
			— Oncor noto il didominiono

Replaces all previous editions

Building Photographs See Instructions for Item A6.

7.5	For Insurance Company Use:
uilding Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Policy Number
5965 GULF OF MEXICO	200
City LONGBOAT KEY State FL ZIP Code	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.



FRONT VIEW

07/12/2007 REAR VIEW

07/12/2007



REAR VIEW

07/12/2007

SEP 2 0 2007

TOWN OF LONGBOAT KEY Planning, Zoning & Building