U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

* L 27

OMB No. 1660-0008 Expiration Date: November 30, 2018

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSUR	ANCE COMPANY USE			
A1. Building Owner's Name John S. and Yolanda F. Kaull Policy Number:					
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 726 Norton Street Company NAIC Number:					
City	ZIP Code				
Longboat Key Florida	34228				
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal D Lot 67, Sleepy Lagoon Park No. 2, Deed Bk. 302, Page 150, Public Records of		7869400007			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)	Residential				
A5. Latitude/Longitude: Lat. N27° 25' 49.52073" Long. W82° 40'18.47533'	Horizontal Datum: NAD 1	927 × NAD 1983			
A6. Attach at least 2 photographs of the building if the Certificate is being used	to obtain flood insurance.				
A7. Building Diagram Number6_					
A8. For a building with a crawlspace or enclosure(s):					
a) Square footage of crawlspace or enclosure(s) 1058	.00 sq ft				
b) Number of permanent flood openings in the crawlspace or enclosure(s)	within 1.0 foot above adjacent gra	ide 8			
c) Total net area of flood openings in A8.b 408.00 sq in					
d) Engineered flood openings? 🗵 Yes 🗌 No					
A9. For a building with an attached garage:					
a) Square footage of attached garage sq ft					
b) Number of permanent flood openings in the attached garage within 1.0 f	oot above adjacent grade				
c) Total net area of flood openings in A9.b sq in					
d) Engineered flood openings? Yes No					
SECTION B - FLOOD INSURANCE RATE MAI	P (FIRM) INFORMATION				
B1. NFIP Community Name & Community Number LONGBOAT KEY, TOWN OF 125126 B2. County Nam MANATEE	ne	B3. State Florida			
	Number Date Effective/ Zone(s) (Zone AO, use Base Flood Depth)				
12081C0291 E 03-17-2014 03-17-2014 AE	EL 9				
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:					
☐ FIS Profile ☑ FIRM ☐ Community Determined ☐ Other/Source:					
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? 🔲 Yes 🔀 No					
Designation Date: CBRS OPA					
	JU	IN - 5 2019			

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corre	FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, St. 726 Norton Street	uite, and/or Bldg. No.) or P.O. Rou	te and Box No.	Policy Number:		
City Longboat Key	State ZIP Florida 3423	Code 28	Company NAIC Number		
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)					
*A new Elevation Certificate will be requir C2. Elevations – Zones A1–A30, AE, AH, A (v	ed when construction of the buildi with BFE), VE, V1–V30, V (with B	FE), AR, AR/A, AR/	/AE, AR/A1–A30, AR/AH, AR/AO.		
Complete Items C2.a-h below according Benchmark Utilized: FDEP BM B-09 ELE			o Rico only, enter meters.		
Indicate elevation datum used for the elev	vations in items a) through h) below	W.			
☐ NGVD 1929 ☐ NAVD 1988	Other/Source:		, , , , , , , , , , , , , , , , , , ,		
Datum used for building elevations must be	be the same as that used for the E	FE.	Check the measurement used.		
a) Top of bottom floor (including baseme	nt, crawlspace, or enclosure floor		4.08 X feet meters		
b) Top of the next higher floor		-	14.50 feet meters		
c) Bottom of the lowest horizontal structu	ral member (V Zones only)		N/A feet meters		
d) Attached garage (top of slab)			N/A feet meters		
e) Lowest elevation of machinery or equi (Describe type of equipment and locat	pment servicing the building ion in Comments)		13.33		
f) Lowest adjacent (finished) grade next	to building (LAG)		2.90 X feet meters		
g) Highest adjacent (finished) grade next	to building (HAG)	-	3.66 🔀 feet 🗌 meters		
h) Lowest adjacent grade at lowest eleval structural support	ation of deck or stairs, including		3.70 🔀 feet 🗌 meters		
SECTION D – SU	RVEYOR, ENGINEER, OR ARC	HITECT CERTIF	ICATION		
This certification is to be signed and sealed by I certify that the information on this Certificate statement may be punishable by fine or impris	a land surveyor, engineer, or arc	hitect authorized by	y law to certify elevation information.		
Were latitude and longitude in Section A provi	ded by a licensed land surveyor?	⊠Yes □ No	Check here if attachments.		
Certifier's Name WALTER J. SMITH	License Number PLS #4807		TH THE		
Title PROF SURVEYOR			Place		
Company Name ESP ASSOCIATES FL, INC.			Seal S		
Address 518 13TH STREET WEST			Here		
City BRADENTON	State Florida	ZIP Code 34205	5/28/1191111111111111		
Signature	Date 05-28-2018	Telephone (941) 345-5451	Ext.		
Copy all pages of this Elevation Certificate and a	all attachments for (1) community of	ficial, (2) insurance	agent/company, and (3) building owner.		
Comments (including type of equipment and lot The purpose of this certificate is to reflect the I (NAVD 1988), Site BM, Elevation=1.58 feet (N 05-22-2019. A8 d) Eight (8) flood vents were proverage, (see ICC- ESR-2074 Report attached garage floor elevations are 3.75 feet NAVD 19 C2 e) Lowest machinery or equipment service	Finish Construction elevations. Sit AVD 1988) and Site BM, Elevatio planned and installed. Each openined). The ground floor has to parkin 88 and the main entrance is 4.08	n=2.15 feet (NAVD ng has a rating of 20 ng garages and an 6 feet NAVD 1988.	1988). Field data collected 00 Sq. Ft. totaling 1600 Sq. Ft. of entrance to the main residence. The		

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F recomplete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto lenter meters.	nber
SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F recomplete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto lenter meters.	nber
SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F re complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto lenter meters.	
SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F recomplete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto lenter meters.	
FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F recomplete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto lenter meters.	
complete Sections A, B,and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto lenter meters.	
E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is abov the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).a) Top of bottom floor (including basement,	ve or below
	below the HAG.
b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters above or b	below the LAG.
E2. For Building Diagrams 6. Quith permanent fleed apprings arguided in Section Alterna 9 and/or 0 (and a section Alterna 9 and	Instructions)
E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1–2 of I the next higher floor (elevation C2.b in the diagrams) of the building is feet meters above or b	pelow the HAG.
	pelow the HAG.
E4. Top of platform of machinery and/or equipment servicing the building is	pelow the HAG.
E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the confloodplain management ordinance? Yes No Unknown. The local official must certify this information	
SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION	
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my	A-issued or knowledge.
Property Owner or Owner's Authorized Representative's Name	
Address City State Z	IP Code
Signature Date Telephone	
Comments	
	ECEIVE

Check here if attachments Planning of a reage and Building

ELEVATION CERTIFICATE

OMB No. 1660-0008

Expiration Date: November 30, 2018 IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number: 726 Norton Street City State ZIP Code Company NAIC Number Longboat Key 34228 Florida SECTION G - COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter meters. G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor. engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.) A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO. The following information (Items G4–G10) is provided for community floodplain management purposes. G4. Permit Number G5. Date Permit Issued G6. Date Certificate of Compliance/Occupancy Issued G7. This permit has been issued for: New Construction Substantial Improvement Elevation of as-built lowest floor (including basement) feet meters Datum of the building: feet meters G9. BFE or (in Zone AO) depth of flooding at the building site: _ Datum feet meters G10. Community's design flood elevation: Datum Local Official's Name Title Community Name Telephone Signature Date Comments (including type of equipment and location, per C2(e), if applicable) RECEIVED JUN - 5 2019

> Theakher it attake benefit Key Form Page 4 of 6

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.			Policy Number:
726 Norton Street			
City	State	ZIP Code	Company NAIC Number
Longboat Key	Florida	34228	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.




Photo One

Photo One Caption FRONT VIEW (05/22/2019)

Clear Photo One



RECEIVED

JUN - 5 2019

TOWN OF LONGBOAT KEY

Planning. Zcieanghandribuilding

REAR VIEW (05/22/2019) Photo Two Caption

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 726 Norton Street			Policy Number:
City State ZIP Code			Company NAIC Number
Longboat Key	Florida	34228	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption RIGHT SIDE VIEW (05/22/2019)

Clear Photo Three



Photo Four

RECEIVED

JUN - 5 2019

TOWN OF LONG POLATONE Planning, Zoporg Page Budtions

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.			Policy Number:
726 Norton Street			
City	State	ZIP Code	Company NAIC Number
Longboat Key	Florida	34228	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FLOOD VENT #1 (05/22/2019)

Clear Photo One



Photo Two

Photo Two Caption FLOOD VENT #2 (05/22/2019)

RECEIVED

JUN - 5 2019

TOWN OF LONGBOAT KEY

Planning clear मोखा करिक Building

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 726 Norton Street		Policy Number:	
City	State	ZIP Code	Company NAIC Number
Longboat Key	Florida	34228	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption FLOOD VENT #3 (05/22/2019)

Clear Photo Three



Photo Four

RECEIVED

Planning Form Page

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.			Policy Number:
726 Norton Street			
City	State	ZIP Code	Company NAIC Number
Longboat Key	Florida	34228	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FLOOD VENT #5 (05/22/2019)

Clear Photo One



Photo Two

Photo Two Caption FLOOD VENT #6 (05/22/2019)

JUN - 5 2019 Clear Photo Two

RECEIVED

TOWN OF TOM Page 5 At KEY Planning. Zoning and Building

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.			Policy Number:
726 Norton Street			
City	State	ZIP Code	Company NAIC Number
Longboat Key	Florida	34228	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three Caption FLOOD VENT #7 (05/22/2019)

Clear Photo Three



Photo Four

JUN - 5 2019

RECEIVED

TOWN OF L Glear Photo Four

Photo Four Caption FLOOD VENT #8 (05/22/2019)

Planning, ZorForm Page gipting



Most Widely Accepted and Trusted

ICC-ES Report

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

ESR-2074

Reissued 02/2017 This report is subject to renewal 02/2019.

DIVISION: 08 00 00—OPENINGS SECTION: 08 95 43—VENTS/FOUNDATION FLOOD VENTS

REPORT HOLDER:

SMARTVENT PRODUCTS, INC.

430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514



RECEIVED

JUN - 5 2019

Look for the trusted marks of Conformity!

"2014 Recipient of Prestigious Western States Seismic Polito World LONGBOAT KEV



A Subsidiary of

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.





ICC-ES Evaluation Report

ESR-2074

Reissued February 2017

This report is subject to renewal February 2019.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43-Vents/Foundation Flood Vents

REPORT HOLDER:

SMARTVENT PRODUCTS, INC. 430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071 (877) 441-8368 www.smartvent.com info@smartvent.com

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514

1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2015, 2012, 2009 and 2006 International Building Code® (IBC)
- 2015, 2012, 2009 and 2006 International Residential Code® (IRC)
- 2013 Abu Dhabi International Building Code (ADIBC)[†]

[†]The ADIBC is based on the 2009 IBC. 2009 IBC code sections referenced in this report are the same sections in the ADIBC.

Properties evaluated:

- Physical operation
- Water flow

2.0 USES

The Smart Vent® units are engineered mechanically operated flood vents (FVs) employed to equalize hydrostatic pressure on walls of enclosures subject to rising or falling flood waters. Certain models also allow natural ventilation.

3.0 DESCRIPTION

3.1 General:

When subjected to rising water, the Smart Vent® FVs internal floats are activated, then pivot open to allow flow in either direction to equalize water level and hydrostatic pressure from one side of the foundation to the other. The FV pivoting door is normally held in the closed position by a buoyant release device. When subjected to rising water, the buoyant release device causes the unit to unlatch, allowing the door to rotate out of the way and allow flow.

The water level stabilizes, equalizing the lateral forces. Each unit is fabricated from stainless steel. Smart Vent® Automatic Foundation Flood Vents are available in various models and sizes as described in Table 1. The SmartVENT® Stacking Model #1540-511 and FloodVENT® Stacking Model #1540-521 units each contain two vertically arranged openings per unit.

3.2 Engineered Opening:

The FVs comply with the design principle noted in Section 2.7.2.2 and Section 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)] for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, Smart Vent FVs must be installed in accordance with Section 4.0.

3.3 Ventilation:

The SmartVENT® Model #1540-510 and SmartVENT® Overhead Door Model #1540-514 both have screen covers with \$^1/4\$-inch-by-\$^1/4\$-inch (6.35 by 6.35 mm) openings, yielding 51 square inches (32 903 mm²) of net free area to supply natural ventilation. The SmartVENT® Stacking Model #1540-511 consists of two Model #1540-510 units in one assembly, and provides 102 square inches (65 806 mm²) of net free area to supply natural ventilation. Other FVs recognized in this report do not offer natural ventilation.

4.0 DESIGN AND INSTALLATION

SmartVENT® and FloodVENT® are designed to be installed into walls or overhead doors of existing or new construction from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. Installation clips allow mounting in masonry and concrete walls of any thickness. In order to comply with the engineered opening design principle noted in Section 2.7.2.2 and 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)], the Smart Vent® FVs must be installed as follows:

- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one FV for every 200 square feet (18.6 m²) of enclosed area, except that the SmartVENT® Stacking Model #1540-511 and FloodVENT® Stacking Model #1540-521 must be installed with a minimum of one FV for every 400 square feet (37.2 m²) of enclosed area.
- Below the base flood elevation RECEIVED

With the bottom of the FV located a maximum of 12 inches (305.4 mm) above the higher of the final grade or floor and finished exterior grade immediately under each opening.

5.0 CONDITIONS OF USE

The Smart Vent® FVs described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

- 5.1 The Smart Vent® FVs must be installed in accordance with this report, the applicable code and the manufacturer's installation instructions. In the event of a conflict, the instructions in this report govern.
- 5.2 The Smart Vent® FVs must not be used in the place of "breakaway walls" in coastal high hazard areas, but

are permitted for use in conjunction with breakaway walls in other areas.

6.0 EVIDENCE SUBMITTED

Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015.

7.0 IDENTIFICATION

The Smart VENT® models recognized in this report must be identified by a label bearing the manufacturer's name (Smartvent Products, Inc.), the model number, and the evaluation report number (ESR-2074).

TABLE 1-MODEL SIZES

MODEL NAME	MODEL NUMBER	MODEL SIZE (in.)	COVERAGE (sq. ft.)
FloodVENT®	1540-520	15 ³ / ₄ " X 7 ³ / ₄ "	200
SmartVENT [®]	1540-510	15 ³ / ₄ " X 7 ³ / ₄ "	200
FloodVENT® Overhead Door	1540-524	15 ³ / ₄ " X 7 ³ / ₄ "	200
SmartVENT® Overhead Door	1540-514	15 ³ / ₄ " X 7 ³ / ₄ "	200
Wood Wall FloodVENT®	1540-570	14" X 8 ³ / ₄ "	200
Wood Wall FloodVENT® Overhead Door	1540-574	14" X 8 ³ / ₄ "	200
SmartVENT® Stacker	1540-511	16" X 16"	400
FloodVent [®] Stacker	1540-521	16" X 16"	400

For SI: 1 inch = 25.4 mm; 1 square foot = m2

RECEIVED




FIGURE 1—SMART VENT: MODEL 1540-510




FIGURE 2—SMART VENT MODEL 1540-520



RECEIVED



ICC-ES Evaluation Report

ESR-2074 CBC and CRC Supplement

Issued January 2017

This report is subject to renewal February 2019.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

SMARTVENT PRODUCTS, INC. 430 ANDBRO DRIVE, UNIT 1 **PITMAN, NEW JERSEY 08071** (877) 441-8368 www.smartvent.com info@smartvent.com

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514

1.0 REPORT PURPOSE AND SCOPE

Purpose:

The purpose of this evaluation report supplement is to indicate that Smart Vent® Automatic Foundation Flood Vents. recognized in ICC-ES master evaluation report ESR-2074, have also been evaluated for compliance with codes noted below.

Applicable code edition:

- 2016 California Building Code (CBC)
- 2016 California Residential Code (CRC)

2.0 CONCLUSIONS

2.1 CBC:

The Smart Vent® Automatic Foundation Flood Vents, described in Sections 2.0 through 7.0 of the master evaluation report ESR-2074, comply with 2016 CBC Chapter 12, provided the design and installation are in accordance with the 2015 International Building Code® (IBC) provisions noted in the master report and the additional requirements of CBC Chapters 12, 16 and 16A, as applicable.

The products recognized in this supplement have not been evaluated under CBC Chapter 7A for use in the exterior design and construction of new buildings located in any Fire Hazard Severity Zone within State Responsibility Areas or any Wildland-Urban Interface Fire Area.

2.2 CRC:

The Smart Vent® Automatic Foundation Flood Vents, described in Sections 2.0 through 7.0 of the master evaluation report ESR-2074, comply with the 2016 CRC, provided the design and installation are in accordance with the 2015 International Residential Code® (IRC) provisions noted in the master report.

The products recognized in this supplement have not been evaluated under 2016 CRC Chapter R337, for use in the exterior design and construction of new buildings located in any Fire Hazard Severity Zone within State Responsibility Areas or any Wildland-Urban Interface Fire Area.

The products_recognized in this supplement have not been evaluated for compliance with the International Wildland-Urban Interface Code®

This supplement expires concurrently with the master report, reissued February 2017.

RECEIVED



ICC-ES Evaluation Report

ESR-2074 FBC Supplement

Reissued February 2017
This report is subject to renewal February 2019.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

SMARTVENT PRODUCTS, INC. 430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071 (877) 441-8368 www.smartvent.com info@smartvent.com

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514

1.0 REPORT PURPOSE AND SCOPE

Purpose:

The purpose of this evaluation report supplement is to indicate that Smart Vent® Automatic Foundation Flood Vents, recognized in ICC-ES master report ESR-2074, have also been evaluated for compliance with the codes noted below.

Applicable code editions:

- 2014 Florida Building Code—Building (FBC)
- 2014 Florida Building Code—Residential (FRC)

2.0 CONCLUSIONS

The Smart Vent® Automatic Foundation Flood Vents, described in Sections 2.0 through 7.0 of the master evaluation report ESR-2074, comply with the FBC and the FRC, provided the design and installation are in accordance with the *International Building Code*® provisions noted in the master report.

Use of the Smart Vent® Automatic Foundation Flood Vents has also been found to be in compliance with the High-Velocity Hurricane Zone provisions of the FBC and the FRC.

For products falling under Florida Rule 9N-3, verification that the report holder's quality assurance program is audited by a quality assurance entity approved by the Florida Building Commission for the type of inspections being conducted is the responsibility of an approved validation entity (or the code official when the report holder does not possess an approval by the Commission).

This supplement expires concurrently with the master report, reissued February 2017.

RECEIVED

JUN - 5 2019

TOWN OF LONGBOAT KEY Planning, Zoning and Building

